Equinox_Amplification_Master_Mix_2X_EN



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) 2020/878)

Equinox Amplification Master Mix (2X)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Equinox Amplification Master Mix (2X) **Product name**

Product code Z0010

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture No information available.

1.3. Details of the supplier of the safety data sheet

Company/Undertaking SOPHIA GENETICS SA

Identification La Pièce 12 CH-1180 Rolle Switzerland

+41 21 694 10 60

http://www.sophiagenetics.com

1.4. Emergency telephone

local: 145 (Tox Info Suisse) number international: +41 44 251 51 51

Revision date 25.06.2025

Version GHS₂

Equinox_Amplification_Master_Mix_2X_EN

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Acute toxicity, oral, Cat. 3, H301

Specific target organ toxicity (single exposure), Cat. 2, H371

Additional information For the full text of the phrases mentioned in this Section, see

Section 16.

2.2. Label elements





Signal Word Danger

Hazard Statements H301: Toxic if swallowed.

H371: May cause damage to organs.

Precautionary statements P260: Do not breathe vapour/mist.

P264: Wash hands and any exposed skin thoroughly after

handling.

P301+P310: IF SWALLOWED: Immediately call a POISON

CENTER or doctor/physician.

P321: Specific treatment (see instructions on this label).

P330: Rinse mouth.

P501: Dispose of contents/container in accordance with local

regulations.

Supplemental information None.

Product identifier Tetramethylammonium chloride, CAS-No. 75-57-0, EC-No. 200-

880-8

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Components	Weight %	CLP Classification	Product identifier
Glycerol	15% - 25%	-	CAS-No.: 56-81-5 EC-No.: 200-289-5
Tromethamine	3% - 5%	Skin Irrit. 2 H315, Eye Irrit. 2 H319	CAS-No.: 77-86-1 EC-No.: 201-064-4
Tetramethylammonium chloride	1% - 3%	Acute Tox. 2 H300, Acute Tox. 3 H311, Skin Irrit. 2 H315, STOT SE 1 H370o (Central nervous system), Aquatic Chronic 2 H411	CAS-No.: 75-57-0 EC-No.: 200-880-8

For the full text of the phrases mentioned in this Section, see Section 16.

Hazardous impurities None known.

Equinox Amplification Master Mix (2X) GHS 2

Print Date 25.06.2025

Number: SG-08027 Status: Approved Date: 27 Jun 2025 Version: 2.0

Equinox_Amplification_Master_Mix_2X_EN

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Consult a physician for severe cases. Move to fresh air in case of

accidental inhalation of dust or fumes from overheating or

combustion.

Skin contact Wash off immediately with soap and plenty of water while removing

all contaminated clothes and shoes. Call a physician immediately.

Eye contact If eye irritation persists, consult a specialist. Rinse immediately with

plenty of water, also under the eyelids, for at least 5 minutes.

Protect unharmed eye.

Ingestion Immediately give plenty of water (if possible charcoal slurry). Obtain

medical attention.

4.2. Most important symptoms and effects, both acute and

delayed

Get medical advice/ attention if you feel unwell. Most important symptoms: Erythema. Symptoms of poisoning may only appear

several hours later.

4.3. Indication of any immediate medical attention and special

treatment needed

None known.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry extinguishing agent or

carbon dioxide.

Unsuitable extinguishing media High volume water jet.

5.2. Special hazards arising from

the substance or mixture

During a fire, smoke may contain the original material in addition to unidentified toxic and/or irritating compounds. Collect contaminated

fire extinguishing water separately. This must not be discharged

into drains.

5.3. Advice for firefighters

Special protective equipment for

firefighters

Standard procedure for chemical fires. In the event of fire, wear self-contained breathing apparatus. Complete suit protecting

against chemicals.

Specific methods Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Equinox Amplification Master Mix (2X) GHS₂

Print Date 25.06.2025

Equinox_Amplification_Master_Mix_2X_EN

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Use personal protective equipment. Avoid contact with skin and

eyes. Do not breathe vapours/dust.

For emergency responders Use personal protective equipment. Do not breathe vapours/dust.

Immediately evacuate personnel to safe areas. Ventilate the area.

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. Contain

> spillage, and then collect with non-combustible absorbent material, (e.g. universal binder, sand, diatomaceous earth, vermiculite). Advise water authority if spillage has entered water course or

drainage system.

6.3. Methods and material for Small quantities: Wipe up with adsorbent material (e.g. cloth, fleece). Large quantities: Soak up with inert absorbent material (e.g. containment and cleaning up

sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable and closed containers for disposal (Plastic container of

HDPE).

6.4. Reference to other sections See chapter 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe Wear personal protective equipment. Avoid contact with skin and handling

eyes. Plan first aid action before beginning work with this product.

Do not breathe vapours/dust.

7.2. Conditions for safe storage,

including any incompatibilities

Store in a place accessible by authorized persons only. Keep

container tightly closed. Store in original container.

7.3. Specific end use(s) No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No data is available on the product itself. **Exposure limit(s)**

Glycerol (CAS 56-81-5)

Switzerland - Occupational

Exposure Limits - Developmental

Risk Groups

Switzerland - Occupational Exposure Limits - STELs -

(KZGWs)

GHS₂

Switzerland - Occupational

Exposure Limits - TWAs - (MAKs)

100 mg/m3 STEL [KZGW] (inhalable dust)

50 mg/m3 TWA [MAK] (inhalable dust)

Equinox Amplification Master Mix (2X)

Print Date 25.06.2025

Developmental Risk Group C

Equinox_Amplification_Master_Mix_2X_EN

8.2. Exposure controls

Appropriate engineering controls
Contaminated work clothing should not be allowed out of the

workplace. Handle in accordance with good industrial hygiene and

safety practice. Keep working clothes separately.

Personal protection equipment

Respiratory protection No special protective equipment required.

Hand protection Gloves made of Nitril. Break through time: > 4 h. Minimum layer

thickness: 0.11mm. The selected protective gloves have to satisfy

the specifications of Regulation (EU) No. 2016/425 and the

standard EN 374 derived from it.

Eye protection Safety glasses with side-shields conforming to EN166.

Skin and body protection Long sleeved clothing.

Thermal hazards No special measures required.

Environmental exposure controls Prevent product from entering surface water or sewage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.
Colour Colourless.
Odour Mild.

Melting point/ freezing point: Not determined. Boiling point or initial boiling Not determined.

point / range:

Flammability: non-flammable
Lower and upper explosion limit: Not determined.
Flash point: Not determined.
Auto-ignition temperature: Not determined.
Decomposition temperature: Not determined.

pH: 8.5

Kinematic viscosity: Not determined.

Solubility: miscible (Water)

Partition coefficient n- Not determined.

octanol/water (log value):

Vapour pressure:Not determined.Density and/or relative density:Not determined.Relative vapour density:Not determined.Particle characteristics:Not applicable.

9.2. Other information

9.2.1 Information with regard to

No information available.

physical hazard classes

9.2.2 Other safety characteristics No information available.

Equinox Amplification Master Mix (2X)

Print Date 25.06.2025

5 / 10

GHS₂

Equinox_Amplification_Master_Mix_2X_EN

SECTION 10: Stability and reactivity

10.1. Reactivity No reactivity hazard.

10.2. Chemical stability No decomposition if used as directed.

10.3. Possibility of hazardous

reactions

No information available.

10.4. Conditions to avoidBurning produces obnoxious and toxic fumes.

10.5. Incompatible materials Strong acids and strong bases. Oxidizing agents.

10.6. Hazardous decomposition

products

None under normal use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Toxic if swallowed.

Glycerol (CAS 56-81-5)

Dermal LD50 Rabbit > 10 g/kg (NLM_CIP) Inhalation LC50 Rat > 5.85 mg/L 4 h(ECHA_API) Oral LD50 Rat = 27200 mg/kg (ECHA_API)

Tromethamine (CAS 77-86-1)

Dermal LD50 Rat > 5000 mg/kg (ECHA)
Oral LD50 Rat = 5900 mg/kg (NLM_CIP)

Tetramethylammonium chloride (CAS 75-57-0) Dermal LD50 Rabbit 200 - 500 mg/kg (ECHA_API)

Oral LD50 Rat = 50 mg/kg (NLM_CIP)

Skin corrosion/irritation Negligible.

Serious eye damage/eye

irritation

Contact with eyes may cause irritation.

Respiratory or skin sensitisation None.

Carcinogenicity Based on available data, the classification criteria are not met.

Germ cell mutagenicityBased on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity -

Single exposure

May cause damage to organs (Central nervous system) if

swallowed.

Specific target organ toxicity -

Repeated exposure

No data available.

Aspiration hazard No data available.

Human experience No data available.

Equinox Amplification Master Mix (2X)

Print Date 25.06.2025

Equinox_Amplification_Master_Mix_2X_EN

11.2. Information on other hazards

Endocrine disrupting properties Contains no endocrine disrupting chemicals.

Other information No data available.

SECTION 12: Ecological information

12.1. Toxicity No data is available on the product itself. May change pH of waters.

Glycerol (CAS 56-81-5)

EU - Ecolabel (66/2010) - Readily biodegradable according to OECD guidelines.

Detergent Ingredient Database -

Aerobic Degradation

EU - Ecolabel (66/2010) - Biodegradable under anaerobic conditions.

Detergent Ingredient Database -

Anaerobic Degradation

Ecotoxicity - Freshwater Fish - LC50 96 h Oncorhynchus mykiss 51 - 57 mL/L [static] (EPA)

Acute Toxicity Data

Tetramethylammonium chloride (CAS 75-57-0)

Ecotoxicity - Freshwater Fish - LC50 96 h Pimephales promelas 431 - 495 mg/L [flow-through]

Acute Toxicity Data (EPA)

12.2. Persistence and Neutralization is normally necessary before waste water is

degradability discharged into water treatment plants. Not readily biodegradable.

12.3. Bioaccumulative potential The product may be accumulated in organisms.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvBThis preparation contains no substance considered to be persistent,

bioaccumulating nor toxic (PBT).

12.6. Endocrine disrupting Contain

properties

assessment

Contains no endocrine disrupting chemicals.

12.7. Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Dispose of as unused product. Offer rinsed packaging material to

local recycling facilities.

Equinox Amplification Master Mix (2X)

Print Date 25.06.2025

Number: SG-08027 Status: Approved Date: 27 Jun 2025 Version: 2.0

Equinox_Amplification_Master_Mix_2X_EN

SECTION 14: Transport information

14.1. UN number or ID number **UN 2810**

14.2. UN proper shipping name TOXIC LIQUID, ORGANIC, N.O.S. (Tetramethylammonium

chloride)

14.3. Transport hazard class(es) 6.1

14.4. Packing group Ш

14.5. Environmental hazards Marine pollutant: No.

14.6. Special precautions for

user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

UN Model Regulations

ADR/RID UN 2810.

Proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S.

(Tetramethylammonium chloride).

Class 6.1.

Packing group III. ADR/RID-Labels 6.1. Classification code T1. Hazard identification no. 60. Limited quantity 5 L. Excepted quantity E1. Transport category 2. Tunnel restriction code (E).

IMDG UN 2810.

Proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S.

(Tetramethylammonium chloride).

Class 6.1.

Packing group III. IMDG-Labels 6.1. Limited quantity 5 L. Excepted quantity E1. EmS F-A, S-A.

Marine pollutant: No.

IATA

Proper shipping name: Toxic liquid, organic, n.o.s.

(Tetramethylammonium chloride).

Class 6.1.

Packing group III. IATA label 6.1.

Packing instruction (passenger aircraft): 655 (60 L).

Packing instruction (LQ): Y642 (2 L).

Packing instruction (cargo aircraft): 663 (220 L).

Equinox Amplification Master Mix (2X)

Equinox_Amplification_Master_Mix_2X_EN

Inland navigation ADN UN 2810.

Proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S.

(Tetramethylammonium chloride).

Class 6.1.

Packing group III. ADN labels 6.1.

Classification code T1. Limited quantity 5 L. Excepted quantity E1.

Further Information None.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulatory Information Take note of Dir 94/33/EC on the protection of young people at

work.

Take note of Dir 92/85/EEC on the safety and health at work of

pregnant workers.

Take note of the Swiss regulation on maternity protection (SR

"Not included in Annex I to Directive 540/2011/EC" As Olein

"Present ([900-722-4])" As Reaction mass of fatty acids, vegetable-

822.111.52).

Youth Employment Protection Ordinance (ArGV 5, SR 822.115): Adolescents up to the age of 18 may only come into contact with or be exposed to this product at their work, if this is provided for in the respective education regulation to achieve their educational goals and the prerequisites of the education plan are fulfilled. Young people who are not in basic vocational training are not allowed to work with this product.

Water contaminating class (WGK Germany) = 1.

oil and glycerol and methanol [RR-93044-9]

Storage class 6.1.

[37220-82-9]

В

Glycerol (CAS 56-81-5)

Switzerland - Water Protection
Ordinance - Water Polluting Liquids

Classification

EU - Plant Protection Products

(1107/2009/EC) - Active

Substances Not Included in the Annex to Regulation 540/2011/EC

EU - REACH (1907/2006) - List of

Registered Intermediates

EU - REACH (1907/2006) - List of

Registered Substances

Tromethamine (CAS 77-86-1)

EU - REACH (1907/2006) - List of

Registered Substances

Tetramethylammonium chloride (CAS 75-57-0)

EU - REACH (1907/2006) - List of

Registered Intermediates

EU - REACH (1907/2006) - List of

Registered Substances

Present ([200-880-8])

Present

Present

Present

15.2. Chemical safety

assessment

Not required.

Equinox Amplification Master Mix (2X)

Print Date 25.06.2025

Equinox_Amplification_Master_Mix_2X_EN

SECTION 16: Other information

Key or legend to abbreviations

and acronyms

CLP: Classification according to Regulation (EC) No. 1272/2008

(GHS)

Key literature references and

sources for data

Sources of key data used to compile the Safety Data Sheet:

REACH, ECHA.

Classification procedure Classification according to Regulation (EC) No. 1272/2008.

Full text of phrases referred to under sections 2 and 3

H300: Fatal if swallowed.

H301: Toxic if swallowed.

H311: Toxic in contact with skin. H315: Causes skin irritation.

H319: Causes serious eye irritation.

H370: Causes damage to organs if swallowed.

H371: May cause damage to organs.

H411: Toxic to aquatic life with long lasting effects.

Further information Take notice of the directions of use on the label.

Instructions for use Restricted to professional users.

Disclaimer The information provided in this Safety Data Sheet is correct to the

best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.

Version: 2.0 Status: Approved Approved Date: 27 Jun 2025 Equinox_Amplification_Master_Mix_2X_EN Number: SG-08027

Document Approvals Approved Date: 27 Jun 2025

Approval Verdict: Approve	Sofia Ridray, (sridray@sophiagenetics.com) Quality Approval 25-Jun-2025 13:18:02 GMT+0000	
Approval Verdict: Approve	Rida Fares, (rfares@sophiagenetics.com) Quality Approval 27-Jun-2025 08:42:13 GMT+0000	
QA Approval Verdict: Approve	Claire Mullane, (cmullane@sophiagenetics.com) Quality Assurance Approval 27-Jun-2025 08:47:29 GMT+0000	